Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1031	380/28.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 10:47
L2	1034	380/30.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 10:48
L3	169	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 10:49
L5	146	380/285.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 10:50
L6	263	713/169.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 10:50
L7	1464	713/176.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 10:51
L8	24	6 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 10:52
L9	236	726/6.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 10:52

S1	1	"20020150237".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 12:26
S2	5	(retained adj key$2) and (private adj key$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 13:15
S3	0	(retained adj key$2) and (previously adj exchang$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 12:38
S4	0	(retained adj key$2) and (previously with exchang$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 12:38
S5	37	(retained adj key$2) and (exchang$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 12:45
S6	53	((previously adj exchang$3) with key$2) and (private adj key$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 12:53
S7	18	bjerrum.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 12:53
S8	72	(previously adj exchang$3) with key$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 12:56
S9	12	(retained adj key$2) and (sequenc$2) and (exchang$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 13:08
S10	7	one$1time adj private adj key$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 13:16
S11	19235	encrypt$ and (input$2 with output$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 15:48
S12	3744	encrypt$ same (input$2 with output$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 15:51

S13	294	retained adj key$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 15:48
S14	4	(encrypt$ same (input$2 with output$2)) and (retained adj key$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 15:48
S15	1430	"380".CLAS. and (encrypt$ same (input$2 with output$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 15:50
S16	2042	encrypt$ with (input$2 with output$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 15:51
S17	326	encrypt$ with (input$2 same "same" same output$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 15:53
S18	23	(encrypt$ adj key$2) with (input$2 same "same" same output$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 15:53
S19	54	((known or pre$1defined or pre$1determined) adj number$2) with (encrypt$3 adj key$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/27 16:05